LIST OF CONTENTS

NUMBER 1

G. N. Lu, C. Barret and T. Neffati: Consequences of spatial distributions of the interface states on the Schottky barrier 1

P. Cova and A. Singh: Temperature dependence of I–V and C–V characteristics of Ni/n-CdF_2 Schottky barrier type diodes 11

V. B. Orlov and A. V. Yakimov: $1/f$ noise in Corbino disk: anisotropic mobility fluctuations? 21

Takahiro Iizuka and Masao Fukuma: Carrier transport simulator for silicon based on carrier distribution function evolutions 27

J. J. Liou and J. S. Yuan: An avalanche multiplication model for bipolar transistors.. 35

W. T. Ng, S. Liang and C. Andre T. Salama: Schottky barrier diode characteristics under high level injection 39

F. Pelanchon and P. Mialhe: Optimization of solar cell performance 47

S. Noor Mohammad, M. B. Patil, J. Chen, M. S. Ünlü and H. Morkoç: Analytical model for I–V characteristics of JFETs with heavily doped channels 53

M. N. Abedin, V. L. Strashilov and P. Das: Anomalous acoustoelectric effect in semiconductor layered structures using separated medium configuration 65

S. Ushio, K. Nishi and J. Ueda: Numerical errors in impurity transport calculations through the boundary of finite-area cells, and a new practical model to reduce such errors 69

Yasuaki Hokari: Dielectric breakdown wearout limitation of thermally-grown thin-gate oxides 75

L. M. O. Van den Berghe, R. L. Van Meirhaeghe, W. H. Laflère and F. Cardon: On the electrical properties, the interfacial reactivity and the thermal stability of $CoSi_2$/-, $TiSi_2$/-, Co/- and Ti/p-InP Schottky barriers 79

R. B. M. Girisch, R. P. Mertens and O. B. Verbeke: Energy-gap change in silicon n-type inversion layers at low temperature 85

P. G. Richard, E. Fortin and O. Berolo: Voltage periodic structures in the negative differential resistance region of a (Al, Ga)As/GaAs quantum well 93

M. B. Patil and H. Morkoç: Self-consistent calculation of electron density in a two-channel modulation-doped structure 99

Frank R. Libsch and Marvin H. White: Charge transport and storage of low programming voltage SONOS/MONOS memory devices 105

R. D. S. YADAVA: Analytic approach to the a.c. conductance method for rapid characterization of interface states in MOS structures 127

Notes

A. K. JONSCHER: Dynamics of deep level trapping in space charge regions 139

B. D. LIU and I. K. CHEN: Comparison of characteristics of lightly-doped drain MOSFETs 143

MAHER E. RIZKALLA: Operation of MOSFETs in saturation and non-saturation for minimum temperature drift 145

SOFTWARE SURVEY SECTION I

NUMBER 2

Review

C. T. SAH: Models and experiments on degradation of oxidized silicon 147

S. ELNAHAWY and N. ADEEB: Analysis of the effect of a uniform base drift field on the performance of a polycrystalline p/n junction solar cell 169

LEN-YI LEU, CHUNG LEN LEE, TAN FU LEI and WEN LUH YANG: Numerical simulation of the vertical Kelvin test structure for specific contact resistivity 177

M. REISCH: Carrier multiplication and avalanche breakdown in self-aligned bipolar transistors 189

M. KARLSTEEN and M. WILLANDER: Optimized frequency characteristics of Si/SiGe heterojunction and conventional bipolar transistors 199

H. RAUH, S. C. JAIN, R. P. MERTENS and R. J. VAN OVERSTRAETEN: Rigorous analysis of the reverse recovery process in junction diodes allowing for arbitrary widths of the base and the emitter as well as heavy doping effects 205

D. SCHROEDER: Interface conditions for the Boltzmann equation and derived transport models at heterojunctions in non-equilibrium 217

KIYOKO NAGAI and YUTAKA HAYASHI: Performance optimization of thin-gate-oxide MOSFETs 223

G. BEISTER, J. MAEGE and H.-G. BACH: Capacitance–voltage dependence for isotype AlGaAs/GaAs heterointerfaces comprising rechargeable traps 227

R. GHARABAGI and M. EL NOKALI: An analytical model for the capacitances in short-channel MOSFETs 235

D. BERNAL, A. NOGALES, E. CALLEJA, E. MUÑOZ and W. S. LEE: Gate width effects on deep level spectra in implanted GaAs MESFETs on LEC substrates 243

G. JI, T. HENDERSON, C. K. PENG, D. HUANG and H. MORKOÇ: Analysis of energy states in modulation doped multiquantum well heterostructures 247

M. K. JOHNSON and P. A. GOUGH: Fundamental modelling of the turn-off behaviour of power bipolar transistors 259

Ľ. MALACKÝ, P. KORDOŠ and J. NOVÁK: Schottky barrier contacts on (p)-$Ga_{0.47}In_{0.53}As$ 273

H. HAYAMA and W. I. MILNE: A new poly-silicon MOS transistor model which includes the effects of bulk trap states in grain boundary regions..... 279

RUEY-KUEN PERNG and CHING-YUAN WU: A new algorithm for steady-state 2-D numerical simulation of MOSFETs 287

D. D. NOLTE: Surface recombination, free-carrier saturation, and dangling bonds in InP and GaAs 295

VINCENT W. L. CHIN, M. A. GREEN and JOHN W. V. STOREY: Evidence for multiple barrier heights in p-type PtSi Schottky-barrier diodes from I–V–T and photoresponse measurements 299

SOFTWARE SURVEY SECTION I

NUMBER 3

A. K. SHARMA, R. GOPAL, R. DWIVEDI and S. K. SRIVASTAVA: Modified lumped series resistance model of solar cells under shadow conditions 309

ABDELHALIM ZEKRY: The effects of emitter–shorts on plasma propagation in thyristors 313

M. MIURA-MATTAUSCH, J. RÜSTIG and R. KIRCHER: Dependence of current gain β on spacer geometry and emitter size in polysilicon self-aligned bipolar transistors..... 325

H. K. BROWN, A. G. WHITTAKER and N. T. ROLLINS: A numerical analysis of the resonant states of quantum well and superlattice devices 333

S. NOOR MOHAMMAD: Influence of doping dependent bandgap grading on electrical performance and design criteria of *npn* $Al_xGa_{1-x}As$/GaAs abrupt heterojunction bipolar transistors 339

S. Y. LI, T. J. ZHANG, X. T. JIA, Y. Z. WANG, Q. ZHANG and X. GENG: A static induction transistor with insulator cover-gate and with triode-like I–V characteristics 345

T. NIEDZIELA and J. PIOTROWSKI: Mercury cadmium telluride longwavelength photoconductors operating at 200–300 K 351

M. TACK, C. CLAEYS and G. DECLERCK: An analytical model for the MISIS structure in SOI MOS devices..... 357

H. C. CHENG, C. Y. CHAO, W. D. SU, S. W. CHANG, M. K. LEE and C. Y. WU: The effect of gate electrodes using tungsten silicides and/or poly-silicon on the dielectric characteristics of very thin oxides 365

S. S. ANG, R. K. ULRICH, W. D. BROWN and R. M. RANADE: Polyimide-passivated *pn* diodes 375

H.-R. CHANG and F. W. HOLROYD: High voltage power MOSFETs with a trench-gate structure 381

Notes

A. V. GORBATYUK and P. B. RODIN: On periodic concentration distributions of a semiconductor plasma 387

GUANG-BO GAO, J.-I. CHYI, J. CHEN and H. MORKOÇ: Emitter region delay time of AlGaAs/GaAs heterojunction bipolar transistors 389

SOFTWARE SURVEY SECTION I

NUMBER 4

GEORGE V. MÂNDUŢEANU: A power semiconductor diode with an integrated reverse-voltage sensor 391

A. DAS GUPTA and S. K. LAHIRI: An analytical model of punchthrough voltage of short-channel MOSFETs with nonuniformly doped channels 395

Y. L. LE COZ and H. C. LIU: An analytical model for a.c. transport in double-barrier heterojunction diodes 401

M. NEDJALKOV and P. VITANOV: Application of the iteration approach to the ensemble Monte Carlo technique 407

ARTI VISHNOI, R. GOPAL, R. DWIVEDI and S. K. SRIVASTAVA: Measurement of minority carrier lifetime of solar cells using surface voltage and current transients 411

H. J. VOSS and W. L. ENGL: The influence of isolation technique on MOS transistor characteristics, measurements and simulations 419

B. G. MARTIN: Theory of injected current behavior associated with blocked impurity-band-conduction 427

LIHUI GUO, JINMIN LI and HOU XUN: Calculation of temporal response of field-assisted transmission-mode GaAs NEA photocathodes 435

P. T. LAI: A new mathematical model for semiconductor-on-insulator structures 441

E. SIMOEN, B. DIERICKX and C. CLAEYS: Analytical model for the kink in *n*MOSTs operating at liquid helium temperatures (LHT) 445

P. DE VISSCHERE: The validity of Ramo's theorem 455

YU-WEN CHEN, YEAN-KUEN FANG, HONG-DA LEE and CHUN-YEN CHANG: Threshold switching transient in metal/a-Si:H/c-Si(p–n) (MASS) heterojunction device 461

Notes

SHINJI KANEFUSA and MASAYOSHI NITTA: Hysteresis loop observed in temperature dependence of resistivities by SnO_2-based gas sensors 467

KATSUHIRO YOKOTA, KOUJI NISHIDA and MANABU TAKADA: Improvement of crystallization of glow-discharge-deposited a-Si:H by doping with arsenic 470

C.-M. LIN and A. J. STECKL: Fabrication of sub-micrometer PMOSFETs with sub-100 nm p^+–n shallow junctions using Group III dual ion implantation 472

S. F. GUO: Simplification of the ICCG method for matrix inversion in semiconductor device simulation 475

SOFTWARE SURVEY SECTION I

NUMBER 5

X. CORREIG, J. CALDERER, E. BLASCO and R. ALCUBILLA: Comments on the use of the surface recombination velocity concept 477

B. JAYANT BALIGA: Closed-form analytical solutions for the breakdown voltage of planar junctions terminated with a single floating field ring 485

CHUNG-YU WU, WEN-YUEH JANG and ING-DAR LIU: MOS device parameter optimization based on transient trajectory considerations 489

YO-HWAN KOH and CHOONG-KI KIM: Two-dimensional analysis of latch-up phenomena in latch-up-free self-aligned IGBT structures 497

M. J. DEEN and Z. X. YAN: A new method for measuring the threshold voltage of small-geometry MOSFETs from subthreshold conduction 503

LIH-JIUAN PU and YANNIS TSIVIDIS: Small-signal parameters and thermal noise of the four-terminal MOSFET in non-quasistatic operation 513

A. KALNITSKY, A. R. BOOTHROYD, J. P. ELLUL, E. H. POINDEXTER and P. J. CAPLAN: Electronic states at Si–SiO_2 interface introduced by implantation of Si in thermal SiO_2 523

A. J. WILLIS: Edge effects in Schottky diodes 531

J. D. KENDALL and A. R. BOOTHROYD: A two-dimensional analytical solution of the Poisson and current continuity equations for the short-channel MOSFET 537

V. M. DWYER, A. J. FRANKLIN and D. S. CAMPBELL: Thermal failure in semiconductor devices 553

K. MISIAKOS, J. S. PARK, A. NEUGROSCHEL and F. A. LINDHOLM: Characterization of bipolar devices by steady state and modulated electroluminescence 561

DAVID J. MOUNTAIN and DAVID M. BURNELL: An evaluation of conventional and LDD devices for submicron geometries 565

J. WILLER, M. HEINZLE, N. ARNOLD and D. RISTOW: WSi_x refractory gate metal process for GaAs MESFETs 571

G. HUYLEBROECK, P. CLAUWS and J. VENNIK: On the determination of the defect parameters of repulsive centers by deep level transient spectroscopy 579

Z. ÇELIK-BUTLER, S. M. ALAMGIR and S. R. BORRELLO: $1/f$ noise measurements on HgCdTe field-effect transistors 585

SOFTWARE SURVEY SECTION I

NUMBER 6

SPECIAL ISSUE ON MATERIAL AND PROCESS CHARACTERIZATION FOR SEMICONDUCTOR DEVICE SIMULATION

CONSTANTIN BULUCEA: Foreword v

D. C. COLE, E. M. BUTURLA, S. S. FURKAY, K. VARAHRAMYAN, J. SLINKMAN, J. A. MANDELMAN, D. P. FOTY, O. BULA, A. W. STRONG, J. W. PARK, T. D. LINTON JR, J. B. JOHNSON, M. V. FISCHETTI, S. E. LAUX, P. E. COTTRELL, H. G. LUSTIG, F. PILEGGI and D. KATCOFF: The use of simulation in semiconductor technology development 591

I. Process Modeling and Process-related Material Properties

C. A. SPENCE, R. A. FERGUSON, A. R. NEUREUTHER and W. G. OLDHAM: Characterization and modeling of materials for photolithographic simulation 625

D. TSOUKALAS: Range of high energy phosphorus and medium energy boron ions implanted in polymers 639

CHANGHAE PARK, KEVIN M. KLEIN and AL F. TASCH: Efficient modeling parameter extraction for dual Pearson approach to simulation of implanted impurity profiles in silicon 645

KOSTAS AMBERIADIS, MICHAEL R. KUMP and CHARLES W. MAGEE: Comparison of phosphorus, arsenic and boron implants into bulk silicon and SOS 651

G. M. CREAN, P. D. COLE and C. JEYNES: Range distributions of ion implanted boron, phosphorus and arsenic dopants in thermally reacted titanium silicide thin films..... 655

J. L. ALTRIP, A. G. R. EVANS, J. R. LOGAN and C. JEYNES: High temperature millisecond annealing of arsenic implanted silicon 659

MICHAEL D. DEAL and HEYWARD G. ROBINSON: Modeling co-implanted silicon and beryllium in gallium arsenide 665

II. Device-related Material Properties

HERBERT S. BENNETT and JEREMIAH R. LOWNEY: Physics for numerical simulation of silicon and gallium arsenide transistors..... 675

M. S. LUNDSTROM, M. E. KLAUSMEIER-BROWN, M. R. MELLOCH, R. K. AHRENKIEL and B. M. KEYES: Device-related material properties of heavily doped gallium arsenide..... 693

W. MAES, K. DE MEYER and R. VAN OVERSTRAETEN: Impact ionization in silicon: a review and update 705

SHIUH-WUU LEE: Extraction of MOSFET carrier mobility characteristics and calibration of a mobility model for numerical device simulation..... 719

NAOYUKI SHIGYO, HIROYOSHI TANIMOTO, MASAYUKI NORISHIMA and SEIJI YASUDA: Minority carrier mobility model for device simulation 727

J. M. BORREGO and S. K. GHANDHI: Interface recombination velocity and lifetime in GaAs and AlGaAs/GaAs structures..... 733

ANDREW K. JONSCHER: Dielectric characterisation of semiconductors 737

BENDIK KLEVELAND, SORIN CRISTOLOVEANU and JEAN SICART: Novel Hall effect spectroscopy of impurity levels in semiconductors 743

D. J. ROULSTON, D. P. GOLD, P. ASHBURN and G. R. BOOKER: Study of thin oxide tunnel parameters for polysilicon emitters, using computer simulation and experimental results 753

III. Doping Profile Extraction

G. J. L. OUWERLING: Physical parameter extraction by inverse device modelling: application to one- and two-dimensional doping profiling 757

H. L. BERKOWITZ, D. M. BURNELL, R. J. HILLARD, R. G. MAZUR and P. RAI-CHOUDHURY: Optimization of the spreading resistance profiling technique for submicron structures 773

S. C. CHOO, M. S. LEONG, CHANDRA B. T. LIEM and K. C. KONG: Extraction of semiconductor dopant profiles from spreading resistance data: an inverse problem..... 783

SOFTWARE SURVEY SECTION I

NUMBER 7

D. H. J. TOTTERDELL, J. W. LEAKE, S. C. JAIN, R. P. MERTENS and R. J. VAN OVERSTRAETEN: Application of open circuit voltage decay to the characterisation of heavy doping parameters in a p^+ emitter of a junction diode 793

C. H. HAN: Device characterization of L-type MOS transistors 799

J. A. LOPEZ-VILLANUEVA, J. A. JIMENEZ-TEJADA, P. CARTUJO, J. R. MORANTE and J. E. CARCELLER: Analysis of a reverse-biased linearly graded junction with high concentration of deep impurities 805

A. P. LASER, K. M. CHU, D. L. PULFREY, C. M. MARITAN and N. G. TARR: An investigation of *pnp* polysilicon emitter transistors 813

R. A. STEWART and J. N. CHURCHILL: A fully nonparabolic hydrodynamic model for describing hot electron transport in GaAs..... 819

NADIR DAGLI: A unipolar transistor with negative output resistance..... 831

G. SLAVCHEVA: Modeling and parameter extraction technique from the ramp-voltage stressed I–V characteristics of thermally grown SiO_2..... 837

J. J. LIOU, W. W. WONG and J. S. YUAN: A study of base built-in field effects on the steady-state current gain of heterojunction bipolar transistors 845

M. LENOBLE, J. V. CRESSWELL and L. YOUNG: The surface potential variation in the interelectrode gaps of GaAs cermet-gate charge-coupled devices 851

B. K. RIDLEY: Hot-electron percolation..... 859

H. C. CHENG, C. Y. WU and J. J. SHY: Excellent thermal stability of cobalt–aluminum alloy Schottky contacts on GaAs substrates..... 863

B. R. RYUM and IBRAHIM M. ABDEL-MOTALEB: A Gummel–Poon model for abrupt and graded heterojunction bipolar transistors (HBTs) 869

J. L. GLENN JR, G. W.NEUDECK and J. A. FRIEDRICH: An inverted and stacked PMOS transistor by silicon epitaxial lateral overgrowth 881

TIMOTHY J. DRUMMOND and MARC E. SHERWIN: Analytic MODFET models beyond the triangular well approximation 885

A. KALNITSKY, A. R. BOOTHROYD and J. P. ELLUL: A model of charge transport in thermal SiO_2 implanted with Si 893

H. F. F. JOS: A model for the non-linear base-collector depletion layer charge and its influence on intermodulation distortion in bipolar transistors 907

S. S. ANG, W. D. BROWN, H. M. LE and R. K. ULRICH: Gamma radiation effects on polyimide-passivated n^+p diodes 917

PREDRAG HABAŠ: A physics based analytical MOSFET model with accurate field dependent mobility 923

YASUO OHNO: Estimation of velocity-overshoot in small size semiconductors 935

RICHARD J. KRANTZ and WALTER L. BLOSS: The role of acceptor density on the high channel carrier density I–V characteristics of AlGaAs/GaAs MODFETs 941

K. S. KALONIA and F. C. JAIN: An analytical two-dimensional model for CMOS devices at room and cryogenic temperatures 947

M. B. PATIL and U. RAVAIOLI: Calculation of electron density in planar-doped high electron mobility transistors 953

Notes

S. N. CHATTOPADHYAY, DEBJANI DUTTA and B. B. PAL: Electrical characteristics of an ion-implanted p-$Ga_{0.47}In_{0.53}As$ MESFET at different Schottky barrier heights 963

S. N. SINGH and P. K. SINGH: A new expression for minority carrier surface recombination velocity at low–high junction of an n^+–p–p^+ silicon diode 968

J. J. LIOU: Modeling the tunnelling current in reverse-biased p/n junctions 971

RASHID BASHIR and GEROLD W. NEUDECK: A technique to measure the dynamic response of a-Si:H thin film transistor circuits 973

KOSTAS AMBERIADIS, RODNEY W. GRIMES and MICHAEL R. KUMP: g–r Noise spectra of semiconductors and insulators with various trap distributions 975

Paper from the Proceedings of the Sixth International Conference on Hot Carriers in Semiconductors

U. SIVAN, A. PALEVSKI, M. HEIBLUM and C. P. UMBACH: Hot electron transport in two dimensional electron gas 979

Corrigendum I

SOFTWARE SURVEY SECTION III

NUMBER 8

A. DE DIOS, E. CASTÁN, L. BAILÓN, J. BARBOLLA, M. LOZANO and E. LORA-TAMAYO: Interface state density measurement in MOS structures by analysis of the thermally stimulated conductance 987

I. AHMAD and S. AHMAD: Skin effect consideration in metallised substrates of injection controlled transit time effect devices at mm-wave frequencies 993

M. KAMADA, T. SUZUKI, K. TAIRA and M. ARAI: Electrical inhomogeneity in alloyed AuGe–Ni contact formed on GaAs 999

F. PALMA, G. DE CESARE and A. STAGNI: An equivalent circuit model for transverse acoustoelectric voltage measurements in semiconductors 1005

ERIC R. MUELLER and ROBERT H. CAVERLY: *In-situ* measurements of magnetic field effects in sub-micron high-electron-mobility transistors 1013

WEN-CHAU LIU and WEN-SHIUNG LOUR: Power MISFETs fabricated with superlatticed gate "insulators" and transition buffer layers 1019

A. VAN DER ZIEL, T. M. CHEN and P. FANG: Two different methods of determining electromigration parameters associated with resistance change 1025

S. E.-D. HABIB and M. Y. SOLIMAN: A high efficiency Si solar cell using tunnel MIS front and back contacts 1029

J. M. SZUBERT, J. BARSTOW, R. B. BEALL and J. J. HARRIS: W-band GaAs Gunn diodes with high output power 1035

Y. K. FANG, K. C. HWANG, Y. W. CHEN and C. P. CHIANG: Improvement of thin-gate oxide integrity using photo-enhanced low-temperature nitridation 1039

SHIAN AUR and AMITAVA CHATTERJEE: On the robustness of LDD nMOS transistors subjected to measurement of drain breakdown voltage 1043

R. KISHORE: Generalized equations for the steady-state analysis of inhomogeneous semiconductor devices 1049

A. J. FRANKLIN, V. M. DWYER and D. S. CAMPBELL: Thermal breakdown in GaAs MES diodes 1055

C. CIOFI, M. MACUCCI and B. PELLEGRINI: A new measurement method of MOS transistor parameters 1065

ROBERT B. HALLGREN: Low-bias-noise spectroscopy of field-effect transistor channels: depletion-region trap models and spectra 1071

TAHUI WANG and CHU-CHIAO YU: Analysis of the DX traps—induced transient characteristics in AlGaAs/GaAs HEMTs 1081

J. D. WOODHOUSE, M. C. GAIDIS and J. P. DONNELLY: Electrical characterization of Zn^+ and P^+ co-implanted InP:Fe 1089

J. S. KIM: A new method of extracting the channel length from the gate current of *p*-channel MOSFETs 1097

Notes
H. WONG and Y. C. CHENG: On the nitridation-induced enhancement and degradation of MOSFET characteristics 1107

S. J. CHUA, T. C. CHONG, S. H. LEE and Y. S. WANG: The effects of current spreading in the semiconductor on the determination of contact resistance 1110

Announcement I

SOFTWARE SURVEY SECTION III

NUMBER 9

M. A. NEWHOUSE and M. WOLF: The modeling of multi-layer structures and the impact of emitter–base coupling on the determination of base recombination parameters 1113

S. M. ABU NAILAH and K. N. KHALIS: Analysis of a novel 3-D magnetic field sensor.. 1119

KANG-DEOG SUH, SOON-WON HONG, KWYRO LEE and CHOONG-KI KIM: An analysis for the potential of floating guard rings 1125

K. L. JIAO, A. J. SOLTYKA, W. A. ANDERSON and S. M. VERNON: Electrical properties of GaAs homojunctions grown by MOCVD on GaAs and Si substrates 1131

XIUMIAO ZHANG: An improved model of "generation width" for pulsed MOS C–t transient analysis 1139

MOHAMED KAMEL AHMED: Noise properties of epitaxial GaAs layers 1143

Y. K. FANG, C. H. TSAI, C. P. CHIANG, F. C. TSENG and JIANN-RUEY CHEN: Improvement of field and time dependent breakdown of trench capacitor using O/N/O dielectric and rounding off technique 1151

SHENG-LYANG JANG: A model of $1/f$ noise in polysilicon resistors 1155

P. RATNAM and A. NAEM: Drain engineering of hot-carrier-resistant MOSFETs using concave silicon surfaces for deep submicron VLSI technology 1163

CHAO-WEN WU and HAO-HSIUNG LIN: Two-dimensional simulation on the electric field spike of indium antimonide charge injection devices 1169

QINCUI XIA and M. EL NOKALI: An analytical d.c. model for MODFETs based on a new three-piece velocity–electric field characteristic 1179

RICHARD J. KRANTZ, DONALD C. MAYER and WALTER L. BLOSS: The influence of Fermi-level pinning at the GaAs substrate on HEMT threshold voltage 1189

R. ADAR, I. BLOOM and Y. NEMIROVSKY: Combined technique for capacitance and slow trapping characterization of narrow bandgap MIS structures 1197

Notes
R. KISHORE: Simultaneous radiation damage and thermal annealing of solar cells 1207

GUANG-BO GAO, DAVID J. ROULSTON and HADIS MORKOC: Is *Npn* or *Pnp* the better choice for millimetre-wave AlGaAs/GaAs heterojunction bipolar transistors? 1209

K. F. LONGENBACH, R. BERESFORD and W. I. WANG: Application of split-gate and dual-gate field-effect transistor designs to InAs field-effect transistors 1211

A. SINGHAL, A. MISHRA and P. CHAKRABARTI: Optical effects in modulation-doped-field-effect-transistor 1214

SOFTWARE SURVEY SECTION I

NUMBER 10

M. M. SHAHIDUL HASSAN and H. DOMINGOS: Control of current-mode second breakdown in transistors through use of double-graded collectors 1217

J. KUZMIK, T. LALINSKÝ, Z. MOZOLOVA and M. PORGES: d.c. Performance of short-channel ion-implanted GaAs MESFETs (the role of gate length shortening) 1223

LALLAN YADAVA, R. DWIVEDI and S. K. SRIVASTAVA: A titanium dioxide-based MOS hydrogen sensor 1229

ROBERT B. FRANKS: Dependence of ionization coefficients on well and barrier widths for GaAs/AlGaAs multiple quantum wells 1235

CONSTANTIN BULUCEA: On the MOS depletion of a high-level-injection plasma 1247

ROBERT H. CAVERLY and GERALD HILLER: The small signal a.c. impedance of gallium arsenide and silicon p–i–n diodes 1255

Z. X. YAN and M. J. DEEN: The dependence of drain-induced barrier lowering on substrate biasing in short channel PMOS devices at 77 K 1265

LINDOR HENRICKSON, ZEZHONG PENG, JEFFREY FREY and NEIL GOLDSMAN: Enhanced reliability in Si MOSFETs with channel lengths under 0.2 micron 1275

C. C. SUN, J. M. XU, A. HAGLEY, R. SURRIDGE and A. SPRINGTHORPE: Measurement of source and drain series resistances of HIGFETs using a bias-scan method 1279

H. JEONG, J. G. FOSSUM and D. K. FITZPATRICK: MMSPICE: a semi-numerical mixed-mode device/circuit simulator for advanced bipolar technology CAD 1283

ERNEST Y. WU: Velocity-field characteristics for intrinsic and doped central-valley alloy semiconductor $Al_{0.25}In_{0.75}As$ 1293

A. DAS and M. S. LUNDSTROM: A scattering matrix approach to device simulation 1299

C.-L. HUANG and G. SH. GILDENBLAT: An accurate engineering model of an n-channel MOSFET for 60–300 K temperature range 1309

TERENCE B. HOOK: An analytical formulation of the peripheral base resistance with application to statistical process variations 1319

Notes

JENN-GWO HWU, I.-HSIU HO and SHOU-PIN CHOU: Thin-oxide thickness measurement in ellipsometry by a wafer rotation method 1327

J. J. LIOU: Modeling the cutoff frequency of $Al_xGa_{1-x}As/GaAs/GaAs$ heterojunction bipolar transistors with proton-implanted collector region 1329

SOFTWARE SURVEY SECTION I

NUMBER 11

J. M. PIMBLEY: Recombination of injected charge carriers 1333

M. V. BURTYKA, O. V. GLUKHOV and V. M. YAKOVENKO: Electron–polariton interactions in submicron semiconductor structures 1339

GEHAN AMARATUNGA and WU YING-JIAN: A current transport model which includes effects of lattice heating 1343

K. F. KNOTT: Evidence that burst noise is a multi-step phenomenon 1347

V. K. DUGAEV, V. A. MANASSON and E. M. SHUSTER: Particularities of the photoelectronic response in structures with surface traps 1355

M. TABIB-AZAR: Experimental study of acoustoelectric interaction in $Hg_{1-x}Cd_xTe/CdTe$ 1359

C. C. MCANDREW, E. L. HEASELL and K. SINGHAL: Optical generation and radiative recombination parameters for energy models of carrier transport in direct gap semiconductors 1367

C. C. MCANDREW, E. L. HEASELL and K. SINGHAL: Optical generation and radiative recombination parameters for energy models of carrier transport in indirect gap semiconductors 1377

S. S. ANG, H. M. LE and W. D. BROWN: Sputter-etching and plasma effects on the electrical properties of titanium nitride contacts on *n*-type silicon 1387

W. BROCKERHOFF, W. PROST, H. MESCHEDE, J. KRAUS, K. HEIME, G. WEIMANN and W. SCHLAPP: d.c.- and r.f.-Characterisation of conventional and superlattice hetero-structure field-effect transistors at low temperatures 1393

PAOLO SPIRITO, ANTONIO G. M. STROLLO and ANTONIO CARUSO: Two-dimensional analysis of the *I–V* characteristics of normally-off bipolar-mode FET devices 1401

A. DE DIOS, E. CASTÁN, L. BAILÓN, J. BARBOLLA, M. LOZANO and E. LORA-TAMAYO: RIE-induced damage in MOS structures 1419

SIEGFRIED SELBERHERR, WILFRIED HÄNSCH, MARDEN SEAVEY and JAN SLOTBOOM: The evolution of the MINIMOS mobility model 1425

M. A. CROUCH, S. S. GILL, J. WOODWARD, S. J. COURTNEY, G. M. WILLIAMS and A. G. CULLIS: Structure and electrical properties of Ge/Au ohmic contacts to *n*-type GaAs formed by rapid thermal annealing 1437

HANS P. ZAPPE, SHELDON ARONOWITZ and CHENMING HU: Oxide implantation for threshold voltage control 1447

W. T. LIN, Y. L. CHU, H. S. LIN, Y. K. FANG, F. M. PAN and S. R. HORNG: A study of the Au/Al/BiSrCaCuO contact system 1455

J. AKHTAR and S. AHMAD: Study of avalanche multiplication in planar-terminated junctions 1459

R. D. SCHNELL and H. TEWS: Size effects in microstructured resonant tunneling diodes 1467

J. J. H. VAN DEN BIESEN: Modelling the inductive behaviour of short-base p–n junction diodes at high forward bias 1471

K. TAKEUCHI, M. AOKI, Y. WATANABE and K. ITOH: Alpha-particle-induced charge collection in scaled DRAM cells with advanced structures 1477

A. R. BATCHELOR, R. E. MILES and M. J. HOWES: An accurate calculation of the d.c. electrical and thermal characteristics of GaAs transferred-electron devices 1485

Note

N. J. WHITEHEAD and B. J. SEALY: The effects of oxygen implantation on n-type layers formed by silicon implantation in gallium arsenide 1493

CALL FOR PAPERS I

SOFTWARE SURVEY SECTION III

NUMBER 12

S. NOOR MOHAMMAD, M. SELIM ÜNLÜ and HADIS MORKOÇ: Optically controlled current–voltage characteristics of ion-implanted MESFETs 1499

SHUO XIAO and CHANG HUANG: A two-dimensional integrated device/circuit numerical model for GaAs DCFL gate simulation 1511

SHUO XIAO and CHANG HUANG: A transient numerical scheme for the simulation of GaAs MESFETs and circuits 1519

I. M. HAFEZ, G. GHIBAUDO and F. BALESTRA: A study of flicker noise in MOS transistors operated at room and liquid helium temperatures 1525

M. PORGES, T. LALINSKÝ, Ž. MOZOLOVÁ and J. KUZMÍK: A three layer model of planar alloyed ohmic contacts to n-GaAs 1531

PREDRAG HABAŠ and SIEGFRIED SELBERHERR: On the effect of non-degenerate doping of polysilicon gate in thin oxide MOS-devices—analytical modeling 1539

R. KISHORE: Flux method for the analysis of excess carrier transport in multilayer devices in the presence of electric field 1545

M. SCHUBERT, B. HÖFFLINGER and R. P. ZINGG: An analytical model for strongly inverted and accumulated silicon films 1553

W. T. NG, S. LIANG and C. ANDRE T. SALAMA: SINFET device modeling 1569

YASUYUKI OHKURA: Quantum effects in Si n-MOS inversion layer at high substrate concentration 1581

T. CLARYSSE and W. VANDERVORST: Stability analysis of correction schemes for spreading resistance measurements 1587

R. DUTTA, M. ROBBINS and V. G. LAMBRECHT: Electrical and structural properties of W–In based ohmic contacts to GaAs 1601

D. THÉRON, H. J. BÜLMANN and M. ILEGEMS: Pseudo two-dimensional simulation of a three heterojunction GaAs/AlGaAs MODFET 1607

CHUNG-YU WU and TAIN-SHUN WU: Physical timing models and design methodology of bipolar nonthreshold logic circuits 1615

J. J. LIOU, K. LEE, S. M. KNAPP, K. B. SUNDARAM, J. S. YUAN, D. C. MALOCHA and M. BELKERDID: A non-quasi-static small-signal model for metal–semiconductor junction diodes 1629

M. G. ANCONA: Lattice–gas approach to semiconductor device simulation 1633

F. T. BRADY, S. S. LI and W. A. KRULL: An electrical study of SIMOX material by a quick-turn-around approach 1643

Notes

A. VAN DER ZIEL and A. D. VAN RHEENEN: Extension of the Hooge equation and of the Hooge parameter concept 1647

A. VAN DER ZIEL, Y. LIN, L. HE and A. D. VAN RHEENEN: Noise in the quantum efficiency η of p^+–n diodes due to fluctuation in the surface generation–recombination of carriers 1649

C. S. OH, W. H. CHANG, B. DAVARI and Y. TAUR: Voltage dependence of the MOSFET gate-to-source/drain overlap 1650

I. S. BAKSHEE, A. V. LYUBCHENKO, E. A. SALKOV and B. I. KHIZHNYAK: Two-polarity intermittent burst noise in $Cd_xHg_{1-x}Te$ 1653

CALL FOR PAPERS I

SOFTWARE SURVEY SECTION III